

LEGEER®

LEGEER® XINUO BICYCLE

宁波禧诺车业有限公司
宁波力奇亚车业有限公司

地址: 中国宁波慈溪市胜山镇工业开发区
电话: 0086-574-63549060 58987206 58987208
传真: 0086-574-63545060 58987200
邮编: 315323

深圳办事处

地址: 深圳市宝安区西乡镇55区双龙花园
电话: 0086-755-27909817
传真: 0086-755-22639978
手机: 0086-13312923306
联系人: 符经理

天津办事处

地址: 天津市北辰区青光镇青光电动车自行车商城一
排61号
电话: 0086-22-86881890
传真: 0086-22-86881338
手机: 0086-13702033168 13702185954
联系人: 周经理
网址: www.cnxino.com
邮箱: sally@cnxino.com
QQ: 630826755

NINGBO XINUO BICYCLE CO., LTD.
NINGBO LIQIYA BICYCLE CO., LTD.

ADD: Shengshan Develop Zone, Cixi Ningbo, China
TEL: 0086-574-63549060 58987206 58987208
FAX: 0086-574-63545060 58987200
P.C: 315323

Shenzhen Office

ADD: Shuanglong Garden, District55, Xixiang, Baoan, Shenzhen
TEL: 0086-755-27909817
FAX: 0086-755-22639978
M.T: 0086-13312923306
Contact Person: Mr. Fu

Tianjin Office

ADD: Line 1 NO.61, E-Bicycle & Bicycle Market, Qingguang,
Beichen, Tianjin, China
TEL: 0086-22-86881890
FAX: 0086-22-86881338
M.T: 0086-13702033168 13702185954
Contact Person: Mr. Zhou
Http://www.cnxino.com
E-mail: sally@cnxino.com
QQ: 630826755

XINUO
BICYCLE

Version:
2018-2019



宁波禧诺车业

NINGBO XINUO BICYCLE CO., LTD.



ABOUT XINUO

NINGBO XINUO BICYCLE CO.,LTD. is located on the southern shore of beautiful Hangzhou Bay Cross-sea Bridge in Cixi,Ningbo. It is easily accessible from Port of Ningbo and Shanghai,xiaoshan and Ningbo airport.

NINGBO XINUO Bicycle Company specializes in producing a variety of bicycle parts,ranging from alloy hub,steel hub,head parts,coasters,freewheel,quick releases and more.

We have a large production scale,powerful strength and first - class testing and producing equipment, also focus on integrating new technologies and updates.

The company insists on the quality policy of "provide the best price equal to quality and service to our customers" .the products sell well all over the world and praised by customers at home and abroad.

宁波禧诺车业有限公司，位于杭州湾跨海大桥南岸-慈溪胜山工业区，交通十分便利，本公司专业生产自行车花鼓，车头组件，飞轮倒刹等系列产品，公司拥有雄厚的技术力量，和一流的生产检测设备工艺先进，自主开发及产品的升级换代。

本公司生产的力奇亚牌花鼓，产品远销欧洲、中东、南美地区及国内市场深受广大客户的信赖和好评，公司本着重质量、守信誉与客户携手合作，共创未来！

CONTENTS [Http://www.legeer.com](http://www.legeer.com)



03 PAGE 28
FREEWHEEL SERIES



05 PAGE 30-31
QUICK RELEASE

01 PAGE 03-13
ALLOY HUB SERIES



04 PAGE 29
PEDALS & OTHER ACCESSORIES SERIES

06 PAGE 32-33
SEAT POST CLAMP



02 PAGE 14-27
STEEL HUB SERIES



LGR-A201F



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 100 P.C.D: ϕ 38 F.T.F:72
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

LGR-A201R



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D:126,130,135 P.C.D: ϕ 45 F.T.F:57
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-B2010F



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 100 P.C.D: ϕ 38 F.T.F:72
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

LGR-B2010R



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D:126,130,135 P.C.D: ϕ 45 F.T.F:57
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-A2020F



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 100 P.C.D: ϕ 38 F.T.F:72
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

LGR-A2020R



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D:126,130,135 P.C.D: ϕ 45 F.T.F:57
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-A203F



Spoke Holes: 14G 16H 20H 28H
O.L.D: 100 P.C.D: ϕ 38 F.T.F:72
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:21/22kg

LGR-A203R



Spoke Holes: 14G 16H 20H 28H
O.L.D:110,114 P.C.D: ϕ 45 F.T.F:57
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-A203-BF



Spoke Holes: 14G 20H 28H 36H
O.L.D: 75 83 93 P.C.D: ϕ 40 F.T.F:50
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

LGR-A203-BR



Spoke Holes: 14G 20H 28H 36H
O.L.D: 110,114 P.C.D: ϕ 45 F.T.F:57
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-A205F



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 100 P.C.D: ϕ 38 F.T.F:72
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

LGR-A205R



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D:110,126,130,135 P.C.D: ϕ 45 F.T.F:57
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-A206F



Spoke Holes: 14G 24H 28H 32H 36H 48H 68H
O.L.D: 100 P.C.D: ϕ 58 F.T.F:62
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

LGR-A206R



Spoke Holes: 14G 24H 28H 32H 36H 48H 68H
O.L.D:126,130,135 P.C.D: ϕ 58 F.T.F:58
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-A207F



Spoke Holes: 14G 24H 28H 32H 36H 48H 68H
O.L.D: 100 P.C.D: ϕ 58 F.T.F:62
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

LGR-A207R



Spoke Holes: 14G 24H 28H 32H 36H 48H 68H
O.L.D:110,126,130,135 P.C.D: ϕ 58 F.T.F:58
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-A2080F



Spoke Holes: 14G 24H 28H 32H 36H 48H 68H
O.L.D: 100 P.C.D: ϕ 58 F.T.F:62
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:72x36x15cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-A2080R



Spoke Holes: 14G 24H 28H 32H 36H 48H 68H
O.L.D:126,130,135 P.C.D: ϕ 58 F.T.F:58
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:73x36x19cm QTY:50pcs/ctn
N.W/G.W:17/19kg

LGR-A209F



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 100 P.C.D: ϕ 45 F.T.F:57
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:14/15kg

LGR-A209R



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D:126,130,135 P.C.D: ϕ 45 F.T.F:57
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-A210F



Spoke Holes: 14G 24H 28H 32H 36H 48H 68H
O.L.D: 100 P.C.D: ϕ 58 F.T.F:57
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:14/15kg

LGR-A210R



Spoke Holes: 14G 24H 28H 32H 36H 48H 68H
O.L.D:126,130,135 P.C.D: ϕ 58 F.T.F:57
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-A216F



Spoke Holes: 14G 24H 28H 32H 36H 48H 68H
O.L.D: 100 P.C.D: ϕ 58 F.T.F:57
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-A216R



Spoke Holes: 14G 24H 28H 32H 36H 48H 68H
O.L.D:110,130,135 P.C.D: ϕ 58 F.T.F:57
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-A220F



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 100 P.C.D: ϕ 38 F.T.F:72
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

LGR-A220R



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D:110 114 130 P.C.D: ϕ 45 F.T.F:57
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-A221F



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 100 P.C.D: ϕ 45 F.T.F:57
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:14/15kg

LGR-A221R



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D:110,130,135 P.C.D: ϕ 45 F.T.F:57
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-A261F



Spoke Holes:14G 24H 28H 32H 36H 48H 68H
O.L.D: 100 P.C.D: ϕ 38 F.T.F:72
Axle:3/8"-26T S45C
Freewheel: 16T 18T 19T
Color: Silver Red Yellow Bule Black Purple
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:20/21kg

LGR-A261R



Spoke Holes:14G 24H 28H 32H 36H 48H 68H
O.L.D:114,120 P.C.D: ϕ 45 F.T.F:57
Axle:3/8"-26T S45C
Freewheel: 16T 18T 19T
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:20/21kg

LGR-A262F



Spoke Holes:14G 24H 28H 32H 36H 48H 68H
O.L.D: 100 P.C.D: ϕ 58 F.T.F:57
Axle:3/8"-26T S45C
Freewheel: 16T 18T 19T
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:20/21kg

LGR-A262R



Spoke Holes:14G 24H 28H 32H 36H 48H 68H
O.L.D:114,120 P.C.D: ϕ 58 F.T.F:57
Axle:3/8"-26T S45C
Freewheel: 16T 18T 19T
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:20/21kg

LGR-A263F



Spoke Holes: 14G 24H 28H 32H 36H 48H 68H
O.L.D: 100 P.C.D: ϕ 58 F.T.F:57
Axle:3/8"-26T S45C
Freewheel: 16T 18T 19T
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:20/21kg

LGR-A263R



Spoke Holes: 14G 24H 28H 32H 36H 48H 68H
O.L.D:114,120 P.C.D: ϕ 58 F.T.F:57
Axle:3/8"-26T S45C
Freewheel: 16T 18T 19T
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:20/21kg

LGR-A271F



Spoke Holes: 14G 16H 20H 28H
O.L.D: 85,93 P.C.D: ϕ 40 F.T.F:50
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

LGR-A271R



Spoke Holes: 14G 16H 20H 28H
O.L.D:110,114 P.C.D: ϕ 45 F.T.F:50
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:20/21kg

LGR-A272F



Spoke Holes: 14G 28H 32H 36H
O.L.D: 93 100 P.C.D: ϕ 40
Axle: 3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing: 40x24x23cm QTY: 50pcs/ctn
N.W/G.W: 22/23kg

LGR-A272R



Spoke Holes: 14G 28H 32H 36H
O.L.D: 110 114 P.C.D: ϕ 45 F.T.F: 50
Axle: 3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing: 45x19x24cm QTY: 50pcs/ctn
N.W/G.W: 16/17kg

LGR-A2820F



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 100 P.C.D: ϕ 58 F.T.F: 58
Axle: 3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing: 72x36x15cm QTY: 50pcs/ctn
N.W/G.W: 16/17kg

LGR-A2820R



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 126,130,135 P.C.D: ϕ 58 F.T.F: 58
Axle: 3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing: 72x36x19cm QTY: 50pcs/ctn
N.W/G.W: 21/22kg

LGR-A281F



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 100 P.C.D: ϕ 38 F.T.F: 72
Axle: 3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing: 40x24x23cm QTY: 100pcs/ctn
N.W/G.W: 16/17kg

LGR-A281R



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 126,130,135 P.C.D: ϕ 45 F.T.F: 57
Axle: 3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing: 45x19x24cm QTY: 50pcs/ctn
N.W/G.W: 18/19kg

LGR-A282-BF



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 135 P.C.D: ϕ 58 F.T.F: 83
Axle: 3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing: 72x36x15cm QTY: 50pcs/ctn
N.W/G.W: 16/17kg

LGR-A282-BR



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 190,195 P.C.D: ϕ 58 F.T.F: 112
Axle: 3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing: 72x36x19cm QTY: 50pcs/ctn
N.W/G.W: 18/19kg

LGR-A2810F



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 100 P.C.D: ϕ 38 F.T.F: 72
Axle: 3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing: 40x24x23cm QTY: 100pcs/ctn
N.W/G.W: 16/17kg

LGR-A2810R



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 126,130,135 P.C.D: ϕ 45 F.T.F: 57
Axle: 3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing: 45x19x24cm QTY: 50pcs/ctn
N.W/G.W: 18/19kg

LGR-A282-CF



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 135 P.C.D: ϕ 58 F.T.F: 83
Axle: 3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing: 72x36x15cm QTY: 50pcs/ctn
N.W/G.W: 16/17kg

LGR-A282-CR



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 190,195 P.C.D: ϕ 58 F.T.F: 112
Axle: 3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing: 72x36x19cm QTY: 50pcs/ctn
N.W/G.W: 21/22kg

LGR-A2830F



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 100 P.C.D: ϕ 58 F.T.F:62
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:72x36x15cm QTY:50pcs/ctn
N.W/G.W:16/17kg

LGR-A2830R



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 126,130,135 P.C.D: ϕ 58 F.T.F:58
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:72x36x19cm QTY:50pcs/ctn
N.W/G.W:21/22kg

LGR-A293F



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 100 P.C.D: ϕ 58 F.T.F:62
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:16/17kg

LGR-A293R



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 126,130,135 P.C.D: ϕ 58 F.T.F:58
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:59x38x19cm QTY:40pcs/ctn
N.W/G.W:21/22kg

LGR-A291F



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D:100 P.C.D: ϕ 58 F.T.F:62
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:16/17kg

LGR-A291R



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 126,130,135 P.C.D: ϕ 58 F.T.F:58
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:59x38x19cm QTY:40pcs/ctn
N.W/G.W:21/22kg

LGR-A296F



Spoke Holes:14G 24H 28H 32H 36H
O.L.D: 100 P.C.D: ϕ 58 F.T.F:62
Axle:3/8"-26T S45C
Freewheel: 16T 18T 19T 20T
Color: Silver Red Yellow Bule Black Purple
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:16/17kg

LGR-A296R



Spoke Holes:14G 24H 28H 32H 36H
O.L.D: 130,135 P.C.D: ϕ 58 F.T.F:58
Axle:3/8"-26T S45C
Freewheel: 16T 18T 19T 20T
Color: Silver Red Yellow Bule Black Purple
Packing:59x38x19cm QTY:40pcs/ctn
N.W/G.W:21/22kg

LGR-A2920F



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D: 100 P.C.D: ϕ 58 F.T.F:62
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:16/17kg

LGR-A2920R



Spoke Holes: 14G 24H 28H 32H 36H
O.L.D:126,130,135 P.C.D: ϕ 58 F.T.F:58
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:59x38x19cm QTY:40pcs/ctn
N.W/G.W:21/22kg

LGR-A902-BF



Spoke Holes:14G 20H
O.L.D: 100 P.C.D: ϕ 58 F.T.F:62
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:16/17kg

LGR-A902-BR



Spoke Holes:14G 24H,28H
O.L.D: 130,135 P.C.D: ϕ 58 F.T.F:58
Axle:3/8"-26T S45C
Color: Silver Red Yellow Bule Black Purple
Packing:59x38x19cm QTY:40pcs/ctn
N.W/G.W:21/22kg

LGR-A908F



Spoke Holes:14G
O.L.D.: 100
Axle:3/8"-26T
Color: Silver Red Yellow Blue Black Purple
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:16/17kg

LGR-A908R



Spoke Holes:14G
O.L.D.: 130,135
Axle:3/8"-26T
Color: Silver Red Yellow Blue Black Purple
Packing:59x38x19cm QTY:40pcs/ctn
N.W/G.W:21/22kg

FR-01F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.: 100 P.C.D: φ38 F.T.F:62
Finish: CP ED
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-01R



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.: 126 130 135 P.C.D: φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-02F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.: 93 P.C.D: φ38 F.T.F:62
Finish: CP ED
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-02R



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.:126 130 135 P.C.D: φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-03F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.: 93 P.C.D: φ38 F.T.F:62
Finish: CP ED
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-03R



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.: 126 130 135 P.C.D: φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg



FR-04F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.: 100 P.C.D:φ38 F.T.F:62
Finish: CP ED
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-04R



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.: 110 114 P.C.D:φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-05F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.: 83 93 100 P.C.D:φ34 F.T.F:63 68 73
Finish: CP ED
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-05R



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.:110 114 P.C.D:φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-06F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.: 100 P.C.D:φ38 F.T.F:62
Finish: CP ED
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-06R



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.: 126 130 135 P.C.D:φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-07F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.: 83 93 100 P.C.D:φ34 F.T.F:72
Finish: CP ED
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-07R



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.: 110 114 P.C.D:φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-08F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.: 83 93 100 P.C.D:φ34 F.T.F:63 68 73
Finish: CP ED
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-08R



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.: 126 130 135 P.C.D:φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-09F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.: 100 P.C.D:φ44 F.T.F:49
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:15/16kg

FR-09R



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.:126 130 135 P.C.D:φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-10F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.:100 P.C.D:φ44 F.T.F:49
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:15/16kg

FR-10F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8"S45C
O.L.D.:126 130 135 P.C.D:φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-11F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8" 26T S45C
O.L.D.: 83 93 100 P.C.D:φ34 F.T.F:63 68 73
Finish: CP ED
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-11R



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8" 26T S45C
O.L.D.: 110 114 P.C.D:φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-12F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8" 26T HS45C
O.L.D.: 83 93 100 P.C.D:φ34 F.T.F:63 68 73
Finish: CP ED
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-12R



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8" 26T HS45C
O.L.D.: 110 114 P.C.D:φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-13F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8" 26T S45C
O.L.D.: 93 100 P.C.D:φ38 F.T.F:62
Finish: CP ED
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-13R



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8" 26T S45C
O.L.D.: 110 114 P.C.D:φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-14F



Shell:Steel
Spoke Holes: 14Gx36H
Axle :3/8"S45C
O.L.D.: 100 P.C.D:φ38 F.T.F:62
Finish: CP ED
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-14R



Shell:Steel
Spoke Holes: 14Gx36H
Axle :3/8"S45C
O.L.D.:110 114 P.C.D:φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-17F



Shell:Steel
Spoke Holes: 14Gx36H 28H
Axle :3/8" 26T S45C
O.L.D.:83 93 P.C.D:φ34 F.T.F:68 73
Finish: CP ED
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-17R



Shell:Steel
Spoke Holes: 14Gx36H 28H
Axle :3/8" 26T S45C
O.L.D.:110 114 P.C.D:φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-18F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8" 26T S45C
O.L.D.:83 93 100 P.C.D:φ34 F.T.F:63 68 73
Finish: CP ED
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-18R



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8" 26T S45C
O.L.D.: 126 130 135 P.C.D:φ44 F.T.F:56
Finish: CP ED
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-21F



Shell:Steel
Spoke Holes: 14Gx36H 48H 68H
Axle :3/8"S45C
O.L.D.: 100 P.C.D:φ112 F.T.F:50
Finish: CP ED
Packing:50x30x20cm QTY:20pcs/ctn
N.W/G.W:15/16kg

FR-21R



Shell:Steel
Spoke Holes: 14Gx36H 48H 68H
Axle :3/8"S45C
O.L.D.: 110 114 P.C.D:φ112 F.T.F:50
Finish: CP ED
Packing:50x30x20cm QTY:20pcs/ctn
N.W/G.W:15/16kg

FR-19F



Shell:Steel
Spoke Holes: 14Gx36H 48H 68H
Axle :3/8" 26T S45C
O.L.D.:100 P.C.D:φ61 F.T.F:57
Finish: CP ED
Packing:50x30x20cm QTY:50pcs/ctn
N.W/G.W:18/19kg

FR-19R



Shell:Steel
Spoke Holes: 14Gx36H 48H 68H
Axle :3/8" 26T S45C
O.L.D.: 110 114 P.C.D:φ61 F.T.F:55
Finish: CP ED
Packing:50x30x20cm QTY:50pcs/ctn
N.W/G.W:19/20kg

FR-22F



Shell: Steel
Spoke Holes: 14Gx48H 68H 72H 140H
Axle: M14x1 S45C
O.L.D.: 100 P.C.D:φ61 F.T.F:57
Finish: CP ED
Packing:50x30x20cm QTY:50pcs/ctn
N.W/G.W:18/19kg

FR-22R



Shell: Steel
Spoke Holes: 14Gx48H 68H 72H 140H
Axle: M14x1 S45C
O.L.D.: 114 P.C.D:φ61 F.T.F:55
Finish: CP ED
Packing:50x30x20cm QTY:50pcs/ctn
N.W/G.W:20/21kg

FR-20F



Shell:Steel
Spoke Holes: 14Gx144H 140H
Axle :3/8"S45C
O.L.D.: 100 P.C.D:φ61 F.T.F:57
Finish: CP ED
Packing:50x30x20cm QTY:50pcs/ctn
N.W/G.W:18/19kg

FR-20R



Shell:Steel
Spoke Holes: 14Gx144H 140H
Axle :3/8"S45C
O.L.D.:110 114 P.C.D:φ61 F.T.F:55
Finish: CP ED
Packing:50x30x20cm QTY:50pcs/ctn
N.W/G.W:19/20kg

FR-23F



Shell:Steel
Spoke Holes: 14Gx36H
Axle :3/8" 26T S45C
O.L.D.: 100 P.C.D:φ38 F.T.F:62
Finish: CP
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-23R



Shell:Steel
Spoke Holes: 14Gx36H
Axle :3/8" 26T S45C
O.L.D.: 110 114 P.C.D:φ44 F.T.F:56
Finish: CP
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-24F



Shell:Steel
Spoke Holes: 14Gx36H 48H 68H 72H
Axle :3/8" 26T S45C
O.L.D.:100 P.C.D:φ61 F.T.F:57
Finish: Sand Surface
Packing:50x30x20cm QTY:50pcs/ctn
N.W/G.W:18/19kg

FR-24R



Shell:Steel
Spoke Holes: 14Gx36H 48H 68H 72H
Axle :3/8" 26T S45C
O.L.D.: 110 114 P.C.D:φ61 F.T.F:55
Finish: Sand Surface
Packing:50x30x20cm QTY:50pcs/ctn
N.W/G.W:19/20kg

FR-27F



Shell:Steel
Spoke Holes: 14Gx36H
Axle :3/8"S45C
O.L.D.:83 93 100 P.C.D:φ34 F.T.F:73
Finish: CP Free Wheel: 12T 14T
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:20/21kg

FR-27R



Shell:Steel
Spoke Holes: 14Gx36H
Axle :3/8"S45C
O.L.D.:110 114 P.C.D:φ44 F.T.F:56
Finish: CP Free Wheel: 12T 14T
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:21/22kg

FR-25F



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8" 26T S45C
O.L.D.: 83 93 100 P.C.D:φ38 F.T.F:62
Finish: CP ED
Packing:50x30x20cm QTY:50pcs/ctn
N.W/G.W:15/16kg

FR-25R



Shell:Steel
Spoke Holes: 14Gx28H 36H
Axle :3/8" 26T S45C
O.L.D.:110 114 P.C.D:φ44 F.T.F:56
Finish: CP ED
Packing:50x30x20cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-31F



Shell:Steel
Spoke Holes: 14Gx36H 48H 68H 72H
Axle :3/8"-26T S45C
O.L.D.:100 P.C.D:φ61 F.T.F:51
Finish: CP ED
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:19/20kg

FR-31R



Shell:Steel
Spoke Holes: 14Gx36H 48H 68H 72H
Axle :3/8"-26T S45C
O.L.D.: 126 130 135 P.C.D:φ61 F.T.F:55
Finish: CP ED
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:20/21kg

FR-26F



Shell:Steel
Spoke Holes: 14Gx36H 48H 68H 72H
Axle :3/8"S45C
O.L.D.: 100 P.C.D:φ61 F.T.F:51
Finish: CP ED
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:18/19kg

FR-26R



Shell:Steel
Spoke Holes: 14Gx36H 48H 68H 72H
Axle :3/8"S45C
O.L.D.:130 135 P.C.D:φ61 F.T.F:55
Finish: CP ED
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:19/20kg

FR-32F



Shell:Steel
Spoke Holes: 14Gx36H
Axle :3/8"S45C
O.L.D.:100 P.C.D:φ44 F.T.F:49
Finish: CP ED
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:18/19kg

FR-32R



Shell:Steel
Spoke Holes: 14Gx36H
Axle :3/8"S45C
O.L.D.: 126 130 135 P.C.D:φ44 F.T.F:56
Finish: CP ED
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:19/20kg

FR-33F



Shell: Steel
 Spoke Holes: 14Gx36H 28H
 Axle Length: (F.QR)108 (R.QR)136 140 145
 O.L.D.: 100 P.C.D: ϕ 44 F.T.F:49
 Finish: Silver Red Yellow Black Purple
 Packing:59x38x17cm QTY:40pcs/ctn
 N.W/G.W:18/19kg

FR-33R



Shell: Steel
 Spoke Holes: 14Gx36H 28H
 Axle Length: (F.QR)108 (R.QR)136 140 145
 O.L.D.: 126 130 135 P.C.D: ϕ 44 F.T.F:56
 Finish: Silver Red Yellow Black Purple
 Packing:59x38x17cm QTY:40pcs/ctn
 N.W/G.W:19/20kg

FR-37F



Shell: Steel
 Spoke Holes: 14Gx36H 32H
 Axle:3/8"S45C
 O.L.D.:100 P.C.D: ϕ 61 F.T.F:49
 Finish:Silver Red Yellow Black Purple
 Packing:59x38x17cm QTY:40pcs/ctn
 N.W/G.W:21/22kg

FR-37R



Shell: Steel
 Spoke Holes: 14Gx36H 32H
 Axle:3/8"S45C
 O.L.D.:130 135 P.C.D: ϕ 61 F.T.F:54
 Finish:Silver Red Yellow Black Purple
 Packing:59x38x17cm QTY:40pcs/ctn
 N.W/G.W:22/23kg

FR-35F



Shell: Steel
 Spoke Holes: 14Gx28H 36H 48H 68H
 Axle :3/8"-26T S45C
 O.L.D.: 100 P.C.D: ϕ 61 F.T.F:51
 Finish: CP ED
 Packing:59x38x17cm QTY:40pcs/ctn
 N.W/G.W:19/20kg

FR-35R



Shell: Steel
 Spoke Holes: 14Gx28H 36H 48H 68H
 Axle :3/8"-26T S45C
 O.L.D.: 130 135 P.C.D: ϕ 61 F.T.F:55
 Finish: CP ED
 Packing:59x38x17cm QTY:40pcs/ctn
 N.W/G.W:20/21kg

FR-38F



Shell: Steel
 Spoke Holes: 14Gx36H 32H
 Axle:3/8"S45C
 O.L.D.:100 P.C.D: ϕ 61 F.T.F:49
 Finish:Silver Red Yellow Black Purple
 Packing:59x38x17cm QTY:40pcs/ctn
 N.W/G.W:16/17kg

FR-38R



Shell: Steel
 Spoke Holes: 14Gx36H 32H
 Axle:3/8"S45C
 O.L.D.:130 135 P.C.D: ϕ 61 F.T.F:54
 Finish:Silver Red Yellow Black Purple
 Packing:59x38x17cm QTY:40pcs/ctn
 N.W/G.W:17/18kg

FR-36F



Shell: Steel
 Spoke Holes: 14Gx28H 36H 48H 68H
 Axle :3/8"S45C
 O.L.D.: 100 P.C.D: ϕ 61 F.T.F:51
 Finish: CP ED
 Packing:59x38x17cm QTY:40pcs/ctn
 N.W/G.W:20/21kg

FR-36R



Shell: Steel
 Spoke Holes: 14Gx28H 36H 48H 68H
 Axle :3/8"S45C
 O.L.D.: 130 135 P.C.D: ϕ 61 F.T.F:55
 Finish: CP ED
 Packing:59x38x17cm QTY:40pcs/ctn
 N.W/G.W:20/21kg

FR-39F



Shell: Steel
 Spoke Holes: 14Gx28H 36H 48H 68H
 Axle :3/8"-26T S45C
 O.L.D.: 100 P.C.D: ϕ 61 F.T.F:51
 Finish: CP ED
 Packing:59x38x17cm QTY:40pcs/ctn
 N.W/G.W:16/17kg

FR-39R



Shell: Steel
 Spoke Holes: 14Gx28H 36H 48H 68H
 Axle :3/8"-26T S45C
 O.L.D.: 130 135 P.C.D: ϕ 61 F.T.F:54
 Finish: CP ED
 Packing:59x38x17cm QTY:40pcs/ctn
 N.W/G.W:17/18kg

FR-40F



Shell:Steel
Spoke Holes: 14Gx24H 32H 36H
Axle :3/8"S45C
O.L.D.: 100 P.C.D:φ61 F.T.F:49
Finish: CP ED
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:18/19kg

FR-40R



Shell:Steel
Spoke Holes: 14Gx24H 32H 36H
Axle :3/8"S45C
O.L.D.: 130 135 P.C.D:φ61 F.T.F:53
Finish: CP ED
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:27/28kg

FR-28



Shell:Steel
Spoke Holes: 14Gx140H
Axle :3/8"-24T S45C
Sprocket:16T 18T
Finish: CP ED
Packing:30x20x25cm QTY:25pcs/ctn
N.W/G.W:20/21kg

FR-29



Shell:Steel
Spoke Holes: 14Gx48H 68H
Axle :3/8"-24T S45C
Sprocket:16T 18T
Finish: CP ED
Packing:30x20x25cm QTY:25pcs/ctn
N.W/G.W:20/21kg

FR-41F



Shell:Steel
Spoke Holes: 12Gx28H
Axle:3/8"S45C
O.L.D.:110
Finish:CP
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-41R



Shell:Steel
Spoke Holes: 12Gx28H
Axle:3/8"S45C
O.L.D.:148
Finish:CP
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-30



Shell:Steel
Spoke Holes: 14Gx16H 20H 28H 36H
Axle :3/8"-24T S45C
Sprocket:16T 18T
Finish: CP ED
Packing:30x20x25cm QTY:25pcs/ctn
N.W/G.W:20/21kg

FR-34



Shell: Steel
Spoke Holes: 14Gx20H 36H
O.L.D:75x180
Finish: Silver Red Yellow Black Purple
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:22/23kg

FR-42F



Shell:Steel
Spoke Holes: 12Gx28H
Axle:3/8"S45C
O.L.D.:110
Finish:CP
Packing:40x24x23cm QTY:100pcs/ctn
N.W/G.W:22/23kg

FR-42R



Shell:Steel
Spoke Holes: 12Gx28H
Axle:3/8"S45C
O.L.D.:131
Finish:CP
Packing:45x19x24cm QTY:50pcs/ctn
N.W/G.W:16/17kg

FR-801F



Shell:Steel
Spoke Holes: 4H
O.L.D: 122
Axle:M12x1x170 S45C
Color: Black
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:16/17kg

FR-801R



Shell:Steel
Spoke Holes: 4H
O.L.D:150
Axle:M12x1x200 S45C
Color: Black
Packing:59x38x19cm QTY:40pcs/ctn
N.W/G.W:21/22kg

FR-A287



Shell:Holes
Spoke Holes: 14Gx32H 36H
Axle :3/8"-24T S45C
Sprocket:16T 18T
Finish: ED
Packing:30x20x25cm QTY:25pcs/ctn
N.W/G.W:20/21kg

FR-B04



Shell: Steel
Spoke Holes: 28H 36H
Axle : 3/8"
Finish: CP ED
Packing:59x38x17cm QTY:40pcs/ctn
N.W/G.W:20/21kg



FW-01

Speed friction freewheel
Size:M18x1
Finish:Black,Brown,C.P.
14T摩擦式飞轮
表面处理:发黑,发黄,镀铬
标准: M18x1



FW-02

Speed friction freewheel
Size:1/2"x1/8"
Finish:Black,Brown,C.P.
16T摩擦式飞轮
表面处理:发黑,发黄,镀铬
标准: 1/2"x1/8"



FW-03

Speed friction freewheel
Size:1/2"x1/8"
Finish:Black,Brown,C.P.
18T摩擦式飞轮
表面处理:发黑,发黄,镀铬
标准: 1/2"x1/8"



FW-04

Speed friction freewheel
Size:1/2"x1/8"
Finish:Black,Brown,C.P.
20T摩擦式飞轮
表面处理:发黑,发黄,镀铬
标准: 1/2"x1/8"



FW-05

Speed friction freewheel
Finish:Black,Brown,C.P.
Standard:14T/38T
5速摩擦式飞轮定档
表面处理:发黑,发黄,镀铬
标准: FW-14T/38T



FW-06

Speed friction freewheel
Finish:Black,Brown,C.P.
Standard:14T/28T
6速摩擦式飞轮定档
表面处理:发黑,发黄,镀铬
标准: FW-14T/28T



FW-07

Speed friction freewheel
Finish:Black,Brown,C.P.
Standard:13T/28T
7速摩擦式飞轮定档
表面处理:发黑,发黄,镀铬
标准: FW-13T/28T



FW-08

Speed friction freewheel
Finish:Black,Brown,C.P.
Standard:11T/28T
8速摩擦式飞轮定档
表面处理:发黑,发黄,镀铬
标准: FW-11T/28T



FW-09

Speed friction freewheel
Finish:Black,Brown,C.P.
Standard:11T/32T
9速摩擦式飞轮定档
表面处理:发黑,发黄,镀铬
标准: FW-11T/32T



FW-10

Shell
7S 8S 9S



FW-11

Shell
16T 18T 19T 20T
Finish: CP ED



FW-12

Shell:
16T 18T 19T 20T
Finish: CP ED



HR-5 HR-6

Shell: Alloy
F.QR:M5x146 151
R.QR:M5x178 138



HR-7 HR-8

F.Axle:15pcs/set 125~145
R.Axle:13pcs/set 150~190
Finish:UCP BK



HR-9 HR-10

F.Axle:108
R.Axle:136 140 145
Finish:UCP BK



HR-9A HR-10A

F.Axle:108
R.Axle:136 140 145
Finish:UCP BK



HR-11 HR-12G

F.Axle:10pcs/set 125~145
R.Axle:8pcs/set 150~190
Finish:UCP BK



HR-13 HR-14

F.Axle:11pcs/set 125~145
R.Axle:10pcs/set 150~190
Finish:UCP BK



HR-14A

F.Axle:108
R.Axle:136 140 145
Finish:UCP BK



HR-15

F.Axle:3/8x140
R.Axle:3/8x175
Finish:UCP BK



HR-16



HR-17



HR-18



HR-19



HR-20



HR-21



HR-22



HR-23



HR-24



HR-27



HR-26



HR-15



XN-K301

Material:Alloy+T6
Size:M8/M6x50/55/60/65mm
QTY:500pcs
N.W.: 17.0kgs
G.W.:18.0kgs
Meas:41x25x15mm
Finish:Anodized black or silver



XN-K302

Material:Alloy+T6
Size:M8/M6x50/55/60/65mm
QTY:500pcs
N.W.: 17.0kgs
G.W.:18.0kgs
Meas:41x25x15mm
Finish:Anodized black or silver



XN-K303

Material:Alloy+T6
Size:M8/M6x50/55/60/65mm
QTY:500pcs
N.W.: 17.0kgs
G.W.:18.0kgs
Meas:41x25x15mm
Finish:Anodized black or silver



XN-K304

Material:Alloy+T6
Size:M8/M6x50/55/60/65mm
QTY:500pcs
N.W.: 17.0kgs
G.W.:18.0kgs
Meas:41x25x15mm
Finish:Anodized black or silver



XN-K305

Material:Alloy+T6
Size:M8/M6x50/55/60/65mm
QTY:500pcs
N.W.: 17.0kgs
G.W.:18.0kgs
Meas:41x25x15mm
Finish:Anodized black or silver



XN-K306

Material:Alloy+T6
Size:M8/M6x50/55/60/65mm
QTY:500pcs
N.W.: 17.0kgs
G.W.:18.0kgs
Meas:41x25x15mm
Finish:Anodized black or silver



XN-K307

Material:Alloy+T6
Size:M8/M6x50/55/60/65mm
QTY:500pcs
N.W.: 17.0kgs
G.W.:18.0kgs
Meas:41x25x15mm
Finish:Anodized black or silver



XN-K305-1

Material:Alloy+T6
Size:M8/M6x50/55/60/65mm
QTY:500pcs
N.W.: 17.0kgs
G.W.:18.0kgs
Meas:41x25x15mm
Finish:Anodized black or silver



XN-K306-1

Material:Alloy+T6
Size:M8/M6x50/55/60/65mm
QTY:500pcs
N.W.: 17.0kgs
G.W.:18.0kgs
Meas:41x25x15mm
Finish:Anodized black or silver



XN-K310

Material:Alloy+T6
Size:M5x50/55/60/65mm
Q`TY:500pcs
N.W.: 17.0kgs
G.W.:18.0kgs
Meas:40x25x27mm
Finish:Anodized black or silver



XN-K311

Material:Alloy+T6
Size:M5x142/145/178/185mm
Q`TY:400pcs
N.W.: 20kgs
G.W.:.21kgs
Meas:40x25x27mm
Finish:Anodized black or silver



XN-K312

Material:Alloy+T6
Size:M5x142/145/178/185mm
Q`TY:400pcs
N.W.: 20kgs
G.W.:.21kgs
Meas:40x25x27mm
Finish:Anodized black or silver



XN-K313

Material:Alloy+T6
Size:M5x142/145/178/185mm
Q`TY:400pcs
N.W.: 20kgs
G.W.:.21kgs
Meas:40x25x27mm
Finish:Anodized black or silver



XN-K314

Material:Alloy+T6
Size:M5x142/145/178/185mm
Q`TY:400pcs
N.W.: 20kgs
G.W.:.21kgs
Meas:40x25x27mm
Finish:Anodized black or silver



XN-2010

Material:Alloy+T6
Size:25.4/28.6/31.8/34.9mm
Q`TY:300pcs
N.W.:18.0kgs
G.W.:.19.0kgs
Meas:41x25x22mm
Finish:Anodized black or silver



XN-2011

Material:Alloy+T6/CNC
Size:25.4/28.6/31.8/34.9mm
Q`TY:500pcs
N.W.:18.0kgs
G.W.:.19.0kgs
Meas:41x25x22mm
Finish:Anodized black or silver



XN-2012

Material:Alloy+T6/CNC
Size:25.4/28.6/31.8/34.9mm
Q`TY:500pcs
N.W.:18.0kgs
G.W.:.19.0kgs
Meas:41x25x22mm
Finish:Anodized black or silver



XN-2013

Material:Alloy+T6
Size:25.4/28.6/31.8/34.9mm
Q`TY:500pcs
N.W.:18.0kgs
G.W.:.19.0kgs
Meas:41x25x22mm
Finish:Anodized black or silver



XN-2014

Material:Alloy+T6
Size:25.4/28.6/31.8/34.9mm
Q`TY:500pcs
N.W.:18.0kgs
G.W.:.19.0kgs
Meas:41x25x22mm
Finish:Anodized black or silver



XN-2015

Material:Alloy+T6
Size:25.4/28.6/31.8/34.9mm
Q`TY:300pcs
N.W.:18.0kgs
G.W.:.19.0kgs
Meas:41x25x22mm



XN-2017-1

Material:Alloy+T6
Size:25.4/28.6/31.8/34.9mm
Q`TY:500pcs
N.W.:18.0kgs
G.W.:.19.0kgs
Meas:41x25x22mm
Finish:Anodized black or silver



XN-2016

Material:Alloy+T6
Size:25.4/28.6/31.8/34.9mm
Q`TY:500pcs
N.W.:18.0kgs
G.W.:.19.0kgs
Meas:41x25x22mm
Finish:Anodized black or silver



XN-2017

Material:Alloy+T6
Size:25.4/28.6/31.8/34.9mm
Q`TY:500pcs
N.W.:18.0kgs
G.W.:.19.0kgs
Meas:41x25x22mm
Finish:Anodized black or silver

